

Technical Data Sheet

GlobalTech® BSC-10A Electronics Cleaner



Product Description

GlobalTech BSC-10A Electronics Cleaner (BSC) is the ultimate solvent product for benchtop defluxing and stencil/misprint cleaning. Effectively removes reflowed lead and lead-free paste residues, all types of flux residues, solder pastes, uncured SMD adhesives, silicone and acrylic conformal coatings and baked-on flux residues. It is a drop-in replacement for Bioact SC-10 and a suitable alternative to isopropyl alcohol (IPA), hydrocarbons, hydrofluoroethers (HFEs), hydrofluorocarbons (HFCs), HCFC-141b and HCFC-225.

Features

Excellent solvency Low surface residue
Exceptional polarity Replaces toxic substances
Fast dry time Soil loading properties

Applications

Stencil / Misprint Assembly Cleaning...rosin, water-soluble and no-clean solder paste and flux residues, epoxies and uncured SMD adhesives

Miscellaneous...white residues, marking inks, ionic contamination, uncured encapsulants, acrylic conformal coatings, silicone conformal coatings, tape residue/label residues, lubricants, oils, greases and fingerprints

Method of Use

Manual cleaning: brush, wipe or spray. Immersion cleaning: add at full concentration to wash tank reservoir. Suitable for use in appropriately designed non-aqueous equipment. Ultrasonics or heat is not recommended.

Ingredients

Hydrocarbons, C-10-C12, Isoalkanes; 1-Methyl1-4-(1methyletheny1)-cyclohexene; 1 Propoxy 2-proponal

Physical & Chemical Properties

Colorless Liquid to Pale Yellow Appearance Boiling Point/Range 302°F / 150°C - 350.1°F / 176.7°C Evaporation Rate (BuAc=1) <1 ND Flammability Limits (% by volume in air) 105°F / 40.5°C Flash Point PMCC Odor Mild Citrus рΗ NA 0.81 @ 25°C Relative Density Relative Vapor Density (air=1) Negligible Solubility In Water Vapor Pressure (mm Hg) 2 mm Hg @ 25℃

Hazard Data

Hazard Ratings

NFPA Health Hazard: 1, Flammability: 2, Reactivity: 1 HMIS Health Hazard: 1, Flammability: 2, Physical Hazard: 0

Environmental/Regulatory

Global Warming Potential (GWP)

Hazardous Air Pollutant (HAP)

Not Regulated (NESHAPs)

Ozone Depletion Potential (ODP)

Resource Conservation and Recovery Act (RCRA)

Not Regulated (Complaint Significant New Alternatives Program (SNAP)

Superfund Amendments and Reauthorization Act (SARA)

Material Compatibility

Excellent compatibility with many substrates and materials used in electronic assembly cleaning applications.

Waste Disposal

For disposal methods, consult a licensed waste management firm or the appropriate local, state and federal agencies in your area. Foil Refill Packs for our SuperSaturated SmartWipes® canisters help reduce environmental waste.

Storage & Shelf Life

BSC has a 12 month shelf life from date of shipment. Store at room temperature, keep out direct sunlight and away from heat.

Ordering Information

ordering information	
Drums	DR55BSC
Weight	400 lbs
Dimensions	24" x 36"
Foil Refill Packs (ESD safe), 100 ct, 6" x 9", 12/cs	FR100BSC-12
Weight	15 lbs
Dimensions	17" x 13" x 9"
Gallons (HDPE), 6/cs	GA6BSC
Weight	45 lbs
Dimensions	17" x 13" x 14"
Spray Bottles, 1 pint (16oz), 6/cs	SB6BSC
Weight	7 lbs
Dimensions	10" x 7" x 10"
SuperSaturated SmartWipes, 100 ct, 6" x 9", 12/cs	SW100BSC
Weight	19 lbs
Dimensions	16" x 11" x 16"

Availability

Products are available through global sales and a nationwide network of distributors.

Environmental Policy

As a leading manufacturer and supplier of SMT production supplies; JNJ is committed to providing high quality products and services in a manner that does not impact upon, but enhances the environment.

