


TECHNICAL DATA SHEET

# CLEANROOM MOP HANDLES

---

Cleanroom Mops

### TECHNICAL DATA SHEET



**TX10217**  
TexConnect™  
Adapter  
For use with TX7183  
to attach screw-based  
mop heads.



### Compatible Mops



### Products

Number	Description	Packaging
<i>Works with AlphaMop™, Mini AlphaMop™ / Isolator Cleaning Tool, ClipperMop™ and TexMop™</i>		
<b>TX7120</b>	12" (30 cm), Fiberglass, White	1 handle / case
<b>TX7121</b>	18" (46 cm), Fiberglass, White	1 handle / case
<b>TX7122</b>	29" - 53" (74 cm - 1.35 m), Telescoping, Fiberglass, White	1 handle / case
<b>TX7123</b>	60" (1.5 m), Fiberglass, White	1 handle / case
<b>TX7183*</b>	55" - 92" (1.4 m - 2.3 m), Telescoping, Aluminum	1 handle/case
<b>TX10217</b>	TexConnect™ Adapter, Aluminum	1 adapter / case
<i>For use with BetaMop™</i>		
<b>TX7125</b>	60" (1.5 m), Fiberglass, White	1 handle & 1 clamp / case

\*Use with TX10217 TexConnect Adapter

### TECHNICAL DATA SHEET

#### Description

Texwipe offers a complete line of mop handles that can be used interchangeably with our Cleanroom mops including AlphaMop™, Mini AlphaMop™/Isolator Cleaning Tool, BetaMop™, ClipperMop™ and TexMop™.

#### Applications

- Cleaning ceilings, floors, walls, isolators, hoods and other confined areas
- Applying and removing solutions and disinfectants

#### Industries

Aerospace	Animal Laboratory	Biologics
Cleanroom Design/Build	Compounding Pharmacies	Data Storage
Facilities Maintenance	Industrial	Laboratory
Medical Device	Microelectronics	Pharmaceutical
Printing/Graphics	Semiconductor	USP <797> / USP <800>

#### Features & Benefits

- Mop handle lengths range from 12" (30 cm) to 92" (2.3 m) in order to clean confined areas as well as hard-to-reach areas
- The TexConnect™ adapter allows for interchangeable use with most screw-based mop heads
- Aluminum and fiberglass options
- Good chemical resistance for compatibility with a variety of solutions
- All handles and the adapter are autoclave safe (20 minutes @ 250°F/121°C)
- Lightweight, ergonomic, stable design

#### Cleanroom Environment

- ISO Class 2 – 7
- Class 1 – 100,000
- EU Grade A – D

#### Shelf Life

- Texwipe Cleanroom Mop Handles have an unlimited shelf life

TECHNICAL DATA SHEET

**Mop Kits and Replacement Parts**

Number	Description
<i>AlphaMop™</i>	
<b>TX7108</b>	AlphaMop™ Cleanroom Mop with head assembly and TX7123 handle, 60" (1.5 m)
<b>TX7108H</b>	AlphaMop™, replacement head assembly only
<b>TX7108AH</b>	AlphaMop™, Autoclavable, replacement head assembly only
<i>Mini AlphaMop™ / Isolator Cleaning Tool</i>	
<b>TX7101</b>	Mini AlphaMop™ Isolator Cleaning Tool with head assembly and TX7121 handle, 18" (46 cm)
<b>TX7105</b>	Mini AlphaMop™ Isolator Cleaning Tool replacement head assembly only
<i>BetaMop™</i>	
<b>TX7106</b>	BetaMop™ with clamp, head refill and TX7125 handle, 60" (1.5 m)
<i>TexMop™</i>	
<b>TX7115</b>	TexMop™ 8" (20 cm) mop head only
<i>ClipperMop™</i>	
<b>TX7102</b>	ClipperMop™ 7" x 4" (17.8 cm x 10 cm) with head assembly and TX7122, 29" - 53" (74 cm - 1.35 m) handle
<b>TX7103</b>	ClipperMop™ 11" x 4" (27.9 cm x 10 cm) with head assembly and TX7122, 29" - 53" (74 cm - 1.35 m) handle
<b>TX7112</b>	ClipperMop™ 7" x 4" (17.8 cm x 10 cm) replacement head assembly only
<b>TX7113</b>	ClipperMop™ 11" x 4" (27.9 cm x 10 cm) replacement head assembly only

Texwipe holds an ISO 9001:2015 registration.

All Texwipe products conform to GHS classification for labeling (where applicable).

Shipping classification based on weight of inner package.

