LOC-23-(Size)

Tech Wear Style Sheet



This ESD coat is an effective static shield. The light-weight fabric makes this style one of our most popular garments. Surface resistivity of the fabric is 1X10⁵ and the sleeve-to-sleeve resistance of the garment is guaranteed to stay below 3.5X10⁷ for 100 washes or 2 years.

Part Number LOC-23-(Size)
Style Traditional Coat

Colors Blue (plus 8 other colors)

Sleeve Hemmed sleeve with sizing snaps

Closure Front Snap

Length Knee-length Coat
Size range X-Small thru 8X-Large

Fabric OFX-100

Content 87% Poly/Carbon 13%
Fabric Weight 2.3 ounces per square yard
Specification ANSI/ESD STM2.1-Cat. 3

Guarantee 100 wash Country of Manufacture USA

(See back for dimensions & additional information)

LOC-23-(Size)

The "Reaching Hand Symbol" next to the breast pocket indicates that this garment is a tool for the prevention of static discharge. This garment is available in most colors for immediate shipment.

Part numbers by color:

Blue	LOC-23-(Size)
White	LOC-13-(Size)
Burgundy	LOC-33-(Size)
Pink	LOC-73-(Size)
Teal	LOC-83-(Size)
Black	LOC-93-(Size)
Digi-camo	LOC-D3-(Size)
HiViz Yellow	LOC-HVO3-(Size)
HiViz Orange	LOC-HVY3-(Size)





Dimensions for LOC-23												
Size	XS	SML	MED	LRG	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Fits Chest	30-32	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64	66-68	70-72	74-76
Finished Chest	37	41	45	48	51	55	59	63	67	71	75	80
Finished Sleeve	31	31	32	34	35	36	36	36	37	38	39	39
Coat Length	34	37	38	39	39	40	40	40	40	40	40	40

Note: All measurements are rounded to the nearest inch.

Length measurements are measured from center back of neck to finished hem. Finished sleeve is measured from center back of neck to bottom of cuff.

LOC-23C-(Size)

Tech Wear Style Sheet



This ESD coat is designed to ground the garment and the wearer through a ground cord connected at the hip pocket snap. This allows for handsfree movement without tethering one hand, which is required when using a wrist strap connected to a ground cord.

The light-weight fabric makes this style one of our most popular garments.

Surface resistivity of the fabric is 1X10⁵ and the sleeve-to-sleeve resistance of the garment is guaranteed to stay below 3.5X10⁷ for 100 washes or 2 years.

Part Number LOC-23C-(Size)
Style Traditional Coat

Colors Blue (plus 8 other colors)
Sleeve Long sleeve with Cuff Option

Closure Front Snap
Length Knee-length Coat
Size range X-Small thru 8X-Large

Fabric OFX-100

Content 87% Poly/Carbon 13%
Fabric Weight 2.3 ounces per square yard
Specification ANSI/ESD STM2.1-Cat. 3

Guarantee 100 wash
Country of Manufacture USA



Standard Ground Cord connected to snap on pocket

(See back for dimensions & additional information)

LOC-23C-(Size)

This traditional-style coat comes with 4mm male ground snaps on the hip pockets and grid-knit ESD cuffs at both sleeve terminations. The male pocket snap connection is for attaching a standard ground cord, and the . This connection is also used for testing and/or monitoring that the garment and the wearer are grounded. The "Reaching Hand Symbol" next to the breast pocket indicates that this garment is a tool for the prevention of static discharge. This garment is available in most colors for immediate shipment.

Part numbers by color:

Blue	LOC-23C-(Size)
White	LOC-13C-(Size)
Burgundy	LOC-33C-(Size)
Pink	LOC-73C-(Size)
Teal	LOC-83C-(Size)
Black	LOC-93C-(Size)
Digi-camo	LOC-D3C-(Size)
HiViz Yellow	LOC-HVO3C-(Size)
HiViz Orange	LOC-HVY3C-(Size)





Dimensions for LOC-23C												
Size	XS	SML	MED	LRG	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Fits Chest	30-32	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64	66-68	70-72	74-76
Finished Chest	37	41	45	48	51	55	59	63	67	71	75	80
Finished Sleeve	31	31	32	34	35	36	36	36	37	38	39	39
Coat Length	34	37	38	39	39	40	40	40	40	40	40	40

Note: All measurements are rounded to the nearest inch.

Length measurements are measured from center back of neck to finished hem.

Finished sleeve is measured from center back of neck to bottom of cuff.